

STANDARD SKIRTING

Technical data sheet
English


QUICK·STEP®
FLOOR DESIGNERS

General information

Standard skirtings that match the colour of your floor and are adjustable in height (40 or 58 mm). Easy to install with One4All Glue. Use the Foamstrip and Hydrokit to obtain a watertight finish. Also available in a white, paintable version (QSSKPAINT).







Contents	Composition	Colour
6 x skirting	HDF core with plastic decorfoil	Colour
Packaging	Headcartons and shrink-wrapping	-

Order code	Dimensions
QSVSK(-)	2400 x 12 x 58 mm

Applicable for:

All Quick-Step Vinyl floors.

The floor must be able to expand and contract on all sides. This is why an expansion gap must be provided on all sides of the floor, around pipes, thresholds and under door frames. The exact expansion joint size depends on the floor type. Consult the installation instructions of your Quick-Step floor to know the required size of the expansion gap. To finish off this gap, we offer a wide range of skirting and profiles.

Features

Quick-Step accessories are specifically developed for Quick-Step floors.

Our skirtings, scotia and profiles flawlessly match the colour of every floor.

Scratch and wear resistant top layer

The durable top layer helps to protect the skirtings, scotias and profiles against everyday wear and tear.

Quick-Step warranty

Skirtings come with the same warranty as your floor.








Installation

The standard skirting can be installed in the following way:







2. Attach the skirting to the wall with the Quick-Step One4All glue. This multi-functional adhesive is specially designed for the installation of Quick-Step accessories.
Order code: QSGLUE290

3. For Alpha Vinyl: Use the Foamstrip (NEVRFOAMSTRIP15) and Hydrokit (QSKITTRANSP) to provide a highly water-resistant finish to help stop water ingres behind your skirting and through the gaps where your floor meets the wall.

Unilin bv division flooring
Ooigemstraat 3, B-8710 Wielsbeke
T: +32 56 67 52 11
unilin.com
quick-step.com

UNILIN | QUICK·STEP FLOOR DESIGNERS